

Forenta

Morristown, TN U.S.A.

Shirt Sleeve Press

Model 77SASL

Steam and Air Bag Shirt Sleeve Finisher



- For use with Bantam or Cabinet Shirt System
- Finishes Small to Large Size Sleeves
- Two Sleeve Forms with Cuff Clamps
- Shoulder Yoke Tensioner to hold Shirt in Position while Finishing
- Steam-Heated Air through Porous Air Bags
- Convenient Controls with Adjustable Steam & Air Timers
- Steam and Electric Models Available
- Operational Cycle - Steam Only, Steam and Air, Air Only, or any Combination
- No Compressed Air Required

Specifications

Models 77SASL

Electrical connections		77SASL
Voltage	120V 1PH 50/60Hz 9amps	Standard
Voltage	230V 1PH 50/60Hz 4.5amps	optional
Steam and Air connection		
Steam Inlet	NPT	1/2"
Steam Outlet	NPT	1/2"
Rec. steam pressure	PSIG kPa	100 689
Steam consumption	BHP kg/hr	2 31.2
Weight (crated)		
Shipping	lbs kg	350 159
1 Electrical cord 4 Control Panel 2 Steam connection 3 Steam Outlet connection		

Detail Line Drawing (millimeters shown in parentheses)

